

Serial No. 10/650,208

Page 2

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

**We Claim:**

1. (original) A cooling system for cooling a friction device, comprising:  
a flow control device that controls a flow of fluid through said friction device; and  
a controller that estimates a temperature state of said friction device, calculates a flow command based on said temperature state and operates said flow control device based on said flow command.
2. (original) The cooling system of claim 1, wherein said controller determines a heat rate of said friction device and bases said temperature state on said heat rate.
3. (original) The cooling system of claim 2, wherein said controller determines a friction device torque and a friction device slip speed and calculates said heat rate of said friction device based on said friction device torque and said friction device slip speed signal.
4. (original) The cooling system of claim 2, further comprising:  
a sump for collecting said flow of fluid; and  
a sump temperature sensor that generates a sump temperature signal, wherein said temperature state is further based on said sump temperature signal.
5. (original) The cooling system of claim 2, wherein said temperature state is further based on a current flow command.
6. (original) The cooling system of claim 1, wherein said flow command is further based on a heat rate of said friction device and a sump temperature of said flow of fluid.

Serial No. 10/650,208

Page 3

7. (original) The cooling system of claim 1, wherein said flow control device includes one of a fixed displacement pump, a variable displacement pump, an on/off valve and a variable opening valve.

8. (original) The cooling system of claim 1, wherein said temperature state is a temperature of said friction device.

9. (original) The cooling system of claim 1, wherein said temperature state is a thermal energy of said friction device.

10. (original) A method of controlling cooling of a friction device, comprising:  
estimating a temperature state of said friction device;  
calculating a flow command based on said temperature state; and  
controlling fluid flow through said friction device based on said flow command.

11. (original) The method of claim 10, further comprising calculating a heat rate of said friction device, wherein said temperature state is based on said heat rate.

12. (original) The method of claim 11, wherein said heat rate is based on a friction device torque and a friction device slip speed.

13. (original) The method of claim 11, further comprising measuring a temperature of said fluid flow, wherein said temperature state is further based on said temperature.

14. (original) The method of claim 11, wherein said temperature state is further based on a current flow command.

15. (original) The method of claim 10, wherein said flow command is further based on a heat rate of said friction device.

Serial No. 10/650,208  
Page 4

16. (original) The method of claim 14, wherein said flow command is further based on a temperature of said fluid flow.

17. (original) The method of claim 10, wherein said step of controlling fluid flow comprises operating a flow control device based on said flow command.

18. (original) The cooling system of claim 10, wherein said temperature state is a temperature of said friction device.

19. (original) The cooling system of claim 10, wherein said temperature state is a thermal energy of said friction device.

20. (original) A method of controlling cooling of a friction device, comprising:  
calculating a heat rate of said friction device;  
estimating a temperature state of said friction device based on said heat rate;  
determining a flow command based on said temperature state; and  
operating a flow control device based on said flow command to control a fluid flow into said friction device.

21. (original) The method of claim 20, further comprising:  
determining a friction device torque; and  
determining a friction device slip speed, wherein said heat rate is based on said friction device torque and said friction device slip speed.

22. (original) The method of claim 20, further comprising measuring a temperature of said fluid flow, wherein said temperature state is further based on said temperature.

23. (original) The method of claim 20, wherein said temperature state is further based on a current flow command.

Serial No. 10/650,208

Page 5

24. (original) The method of claim 20, wherein said flow command is further based on said heat rate and a temperature of said fluid flow.

25. (original) The method of claim 20, wherein said temperature state is a temperature of said friction device.

26. (original) The method of claim 20, wherein said temperature state is a thermal energy of said friction device.

27. (new). A cooling system for cooling a friction device in an automatic transmission, comprising:

a flow control device that controls a flow of fluid through said friction device, wherein said friction device is a lock up clutch for a hydraulic torque converter; and

a controller that estimates a temperature state of said lock up clutch, calculates a flow command based on said temperature state and operates said flow control device based on said flow command.

28. (new) The cooling system of claim 27, wherein said controller determines a heat rate of said lock up clutch and bases said temperature state on said heat rate.

29. (new) The cooling system of claim 27, wherein said controller determines a lock up clutch torque and a lock up clutch slip speed and calculates said heat rate of said lock up clutch based on said lock up clutch torque and said lock up clutch slip speed signal.